




Wakefield Bridge™
STEEL SHINGLES



ENVIRONMENT-FRIENDLY.
THIS PRODUCT IS
ENTIRELY RECYCLABLE.


**YOU'LL
NEVER
HAVE TO
RE-ROOF
AGAIN!**




STEEL SHINGLES

COLORS TO FIT YOUR HOME

Available in a selection of attractive colors to perfectly match today's popular residential construction cladding materials, they will increase the value of your home and improve its exterior appearance.



WeatherXL™ Crinkle textured finish steel
(AZ55) GAUGE 29 (.017" THICK)
WeatherXL™ is a trademark of SWIMC LLC.



THE SMART ALTERNATIVE

WAKEFIELD BRIDGE™ steel shingles are designed as an alternative to common asphalt shingles, but with the toughness and long-lasting qualities of high-strength steel roofing panels. With our limited 50-year transferable warranty, these steel shingles may very well be the last roof you install on your house for as long as you live.


WAKEFIELD BRIDGE™ steel shingles are manufactured with a stucco-embossed finish for greater strength and a distinguished look.

THE SUPERIORITY OF STEEL

Steel shingles carry the unquestionable advantage of being long-lasting. They will not rot, curl, crack, break, chip, peel and perforate under normal use and minimum maintenance. Have no fear of rain, ice, sleet, frost, hail (UL 2218 Class 4).

DESIGNED TO RESIST HIGH WINDS

WAKEFIELD BRIDGE™ steel roofing panels are manufactured in compliance with the High Velocity Hurricane Zone provisions of the Florida Building Code and are designed to resist high winds (TAS100, Miami-Dade, 110 mph) and burning embers (fire-rated class A, ASTM E108).



- FLUROPON™ L/S SR, PREMIUM FLUOROPOLYMER COATING WITH 70% PVDF SYSTEM AND SOLAR REFLECTIVE PIGMENTS
- CORROSION RESISTANT PRIMER
- CHROMATE CHEMICAL PRE-TREATMENT TO ENHANCE PAINT ADHESION AND CORROSION RESISTANCE
- GALVALUME, ZINC / ALUMINUM COATING
- 29 GAUGE COLD ROLLED STEEL CORE
- BACKER COAT PROTECTION

- PVDF PRE-PAINTED GALVALUME (AZ55) STEEL SYSTEM WITH COOL ROOF® TECHNOLOGY REFLECTING SOLAR RADIATION ASTM-A792 SS GRADE "33" GAUGE: 29 (.017" THICK)



Ask your dealer about WAKEFIELD BRIDGE™ long-life steel shingles and our limited 50-year transferable warranty.

Due to the limitations of the printing process, colors shown may differ from actual product. Please consult our color cards.



Wakefield Bridge™

STEEL SHINGLES



ENVIRONMENT-FRIENDLY.
THIS PRODUCT IS
ENTIRELY RECYCLABLE.



Canadian Sheet Steel Building Institute
A Division of the Canadian Institute of Steel Construction



Head Office

1418 Michael Street
Ottawa, ON, Canada K1B 3R2
Tel.: 613-746-3206

Toll Free: 1-800-267-0860

Fax: 613-746-0445
info@idealroofing.ca

Toronto Manufacturing Facility

223 Corporation Drive
Brampton, ON, Canada L6S 6G5
Tel.: 905-792-4354

Toll Free: 1-877-792-4354

Fax: 905-792-7740

Moncton Manufacturing Facility

650 Frenette Avenue
Moncton, NB, Canada E1H 0N3
Tel.: 506-857-3888

Toll Free: 1-833-753-0051

Fax: 506-857-8823

Quebec Regional Office

5240 Wilfrid-Hamel Boulevard
Québec, QC, Canada G2E 2G9
Tel.: 418-874-0010

Toll Free: 1-888-313-0010

Fax: 418-874-0011


www.idealroofing.com

LIGHTWEIGHT, RECYCLABLE AND REFLECTIVE

WAKEFIELD BRIDGE™ steel shingles are at least 60% lighter than asphalt shingles, concrete and clay tiles, cedar shakes and slate roofing. They are more resistant than all of them with the exception of heavy and costly slate and much stronger than aluminum shingles.

WAKEFIELD BRIDGE™ steel shingles are manufactured from new and recycled steel. Unlike common asphalt shingles made from fossil fuels, they are not subject to the fluctuations of world market oil prices. Unlike discarded asphalt shingles clogging our landfill sites, they are entirely recyclable.

Our steel shingles are protected by our proven oven-baked PVDF paint system with Kynar 500® resin and the most advanced Cool Roof® solar reflection technology ensuring exceptional protection from solar radiation and reducing the cost of summer air conditioning.



TASI25-meets HVHZ Miami-Dade Wind uplift resistance requirements / TASI00-meets HVHZ Miami-Dade Wind driven rain requirements 110 mph wind speed.